



Ningbo Easy Lifting Auto Accessories Co.,Ltd
Add: 116, BLD 17, No.818 of Qiming Road, Yinzhou, Ningbo, China
Tel: 0086-574-87953036 0086-574-82825986
Fax: 0086-574-87953030
<http://www.easy-lifting.com>
E-mail: sales@easy-lifting.com



Ningbo Easylifting is one of the Professional Leading Suppliers, who producing Ratchet Buckle, Ratchet Components, Overcenter Buckle, Cargo Lashing and Webbing Slings. It is located in Ningbo, where has the second largest port in China. Easylifting has its own office building and factory for customers to visit and guarantee the quality for the bulk production. It adheres to the concept of independent innovation, focus on the medium and high quality market.

Over several years' development, Easylifting has grown and expanded the range of car accessories gradually. At present, it has two own brands. "Easylifting" focuses on the cargo lashing with its own factory, while "Autofounder" specializes in car accessories, which including booster cable, car floor mats, auto sunshade, car cover and seat cushion. Most of its goods can meet EU and US standard, also its factory has the third party audit, such as ISO9001, BSCI etc. Nowadays, Easylifting has the good capacity to finish four containers per day, and the turnover of 2022 is more than 20 million USD.

Easylifting holds the belief of "Quality and Customer First", and provide the competitive prices at the same time. It services both large and small companies. No matter the order is small or large, the sales and production departments are ready to process the orders and offer the best service.



CONTENTS

	Ratchet Tie Down	01-16
	Ratchet Tie Down (Package)	17-22
	Slackline	23-24
	Overcenter Buckle	25-30
	Roller	31-32
	Cam Buckle	33-34
	Ratchet Buckle	35-40
	Hook	41-48
	E-Tracks	49-50
	Corner Protector	51-52
	Bungee Cords	53-54
	Webbing Slings	55-56



Ratchet Tie Down



TP001



SIZE: 2"
 BS: 5000KG/11000 LBS
 Handle: Plastic/Aluminium/Rubber
 Ratchet Color: Zinc Plated or Color Coated
 Webbing—Color: Blue/Yellow/Red/Orange
 Length: 6M-12M

Hook Option

TH002-A TH014 TH018-A TH026 TH033 TH035



Ratchet Tie Down



TP001-3




SIZE: 2"
 BS: 5000KG/11000 LBS
 Handle: Plastic/Aluminium/Rubber
 Ratchet Color: Zinc Plated or Color Coated
 Webbing—Color: Blue/Yellow/Red/Orange
 Length: 6M-12M

Hook Option

TH002-A TH014 TH018-A TH026 TH033 TH035



TP001-1



SIZE: 2"
 BS: 5000KG/11000 LBS
 Handle: Plastic/Aluminium/Rubber
 Ratchet Color: Zinc Plated or Color Coated
 Webbing—Color: Blue/Yellow/Red/Orange
 Length: 6M-12M

Hook Option

TH002-A TH014 TH018-A TH026 TH033 TH035



TP001-4



SIZE: 2"
 BS: 5000KG/11000 LBS
 Ergo Ratchet
 Ratchet Color: Zinc Plated or Color Coated
 Webbing—Color: Blue/Yellow/Red/Orange
 Length: 6M-12M

Hook Option

TH002-A TH014 TH018-A TH026 TH033 TH035



TP001-2



SIZE: 2"
 BS: 5000KG/11000 LBS
 Handle: Plastic/Aluminium/Rubber
 Ratchet Color: Zinc Plated or Color Coated
 Webbing—Color: Blue/Yellow/Red/Orange
 Length: 6M-12M

Hook Option

TH002-A TH014 TH018-A TH026 TH033 TH035



TP001-5



SIZE: 2"
 BS: 5000KG/11000 LBS
 Handle: Plastic/Aluminium/Rubber
 Ratchet Color: Zinc Plated or Color Coated
 Webbing—Color: Blue/Yellow/Red/Orange
 Length: 6M-12M

Hook Option

TH002-A TH014 TH018-A TH026 TH033 TH035





Ratchet Tie Down



TP002



SIZE: 3"
 BS: 10000KG/22000 LBS
 Handle: Aluminium
 Webbing—Color: Yellow
 Length: 6M-12M

Hook Option

TH001 TH025 TH031



TP002-1



SIZE: 2"
 BS: 5000KG/11000 LBS
 Handle: Plastic/Aluminium/Rubber
 Ratchet Color: Zinc Plated or Color Coated
 Webbing—Color: Blue/Yellow/Red/Orange
 Length: 6M-12M

Hook Option

TH002-A TH018-A TH026 TH033 TH035 TH046



TP002-2



SIZE: 2"
 BS: 5000KG/11000 LBS
 Handle: Plastic/Aluminium/Rubber
 Ratchet Color: Zinc Plated or Color Coated
 Webbing—Color: Blue/Yellow/Red/Orange
 Length: 6M-12M

Hook Option

TH002-A TH018-A TH026 TH033 TH035 TH046



Ratchet Tie Down



TP002-3



SIZE: 2"
 BS: 5000KG/11000 LBS
 Handle: Plastic/Aluminium/Rubber
 Ratchet Color: Zinc Plated or Color Coated
 Webbing—Color: Blue/Yellow/Red/Orange
 Length: 6M-12M

Hook Option

TH002-A TH018-A TH026 TH032 TH035 TH046



TP002-4



SIZE: 2"
 BS: 5000KG/11000 LBS
 Handle: Plastic/Aluminium/Rubber
 Ratchet Color: Zinc Plated or Color Coated
 Webbing—Color: Blue/Yellow/Red/Orange
 Length: 6M-12M

Hook Option

TH002-A TH018-A TH026 TH032 TH035 TH046



TP003



SIZE: 2"
 BS: 4000KG/8800 LBS
 Handle: Plastic/Aluminium/Rubber
 Ratchet Color: Zinc Plated or Color Coated
 Webbing—Color: Blue/Yellow/Red/Orange
 Length: 6M-12M

Hook Option

TH006 TH014 TH018-A TH026 TH033 TH035





Ratchet Tie Down



TP004



SIZE: 2"
BS: 3000KG/6600 LBS
Handle: Plastic/Aluminium/Rubber
Ratchet Color: Zinc Plated or Color Coated
Webbing—Color: Blue/Yellow/Red/Orange/Grey/Black
Length: 6M-12M

Hook Option

TH007 TH014 TH018-A TH027 TH033



TP004-1



SIZE: 2"
BS: 3000KG/6600 LBS
Handle: Plastic/Aluminium/Rubber
Ratchet Color: Zinc Plated or Color Coated
Webbing—Color: Blue/Yellow/Red/Orange/Grey/Black
Length: 6M-12M

Hook Option

TH007 TH014 TH018-A TH027 TH033



TP004-2



SIZE: 2"
BS: 2000KG/4400 LBS
Handle: Plastic/Aluminium/Rubber
Ratchet Color: Zinc Plated or Color Coated
Webbing—Color: Blue/Yellow/Red/Orange/Grey/Black
Length: 6M-12M

Hook Option

TH007 TH014 TH018-A TH027 TH033



Ratchet Tie Down



TP005



SIZE: 2"
BS: 2000KG/4400 LBS
Handle: Steel/Rubber/Plastic/Aluminium
Ratchet Color: Zinc Plated or Color Coated
Webbing—Color: Blue/Yellow/Orange/Grey
Length: 4M-12M

Hook Option

TH008 TH027 TH019-A TH034 TH056



TP005-1



SIZE: 2"
BS: 2000KG/4400 LBS
Handle: Steel/Rubber/Plastic/Aluminium
Ratchet Color: Zinc Plated or Color Coated
Webbing—Color: Blue/Yellow/Orange/Grey
Length: 4M-12M

Hook Option

TH008 TH027 TH019-A TH034 TH056



TP005-2



SIZE: 2"
BS: 2000KG/4400 LBS
Handle: Steel/Rubber/Plastic/Aluminium
Ratchet Color: Zinc Plated or Color Coated
Webbing—Color: Blue/Yellow/Orange/Grey
Length: 4M-12M

USA Option

12FT 16FT 20FT





Ratchet Tie Down



TP006



Cam Buckle Van Strap
SIZE: 2"(50MM)
BS: 1000KG/2200 LBS
Hardware: 2" Cam Buckle
Webbing—Color: Yellow/Grey/Blue
Length: 12'/16'/20'
Width: 50MM

USA Option

12FT

16FT

20FT



TP007



SIZE: 1 1/2"
BS: 3000KG/6600 LBS
Handle: Plastic/Steel/Aluminium/Rubber Ratchet
Color: Zinc Plated or Color coated
Webbing—Color: Blue/Yellow/Orange//Red
Length: 4M-12M

Hook Option

TH009

TH009-A

TH015

TH020

TH028



TP008



SIZE: 1 1/2"
BS: 2000KG/4400 LBS
Handle: Plastic/Steel/Aluminium/Rubber
Ratchet Color: Zinc Plated or Color coated
Webbing—Color: Blue/Yellow/Orange//Red
Length: 4M-12M

Hook Option

TH009

TH009-A

TH015

TH020

TH028



Ratchet Tie Down



TP008-1



SIZE: 1 1/2"
BS: 2000KG/4400 LBS
Handle: Plastic/Steel/Aluminium/Rubber
Ratchet Color: Zinc Plated or Color coated
Webbing—Color: Blue/Yellow/Orange//Red
Length: 4M-12M

Hook Option

TH009

TH009-A

TH015

TH020

TH028



TP009



SIZE: 1 1/16"
BS: 1500KG/3300 LBS
Handle: Plastic/Steel/Aluminium/Rubber
Ratchet Color: Zinc Plated or Color coated
Webbing—Color: Red/Blue/Yellow/Orange
Length: 4M-8M

Hook Option

TH011

TH011-A

THS004

THS007



TP010



SIZE: 1 1/16"
BS: 1360KG/3000LBS
Handle: Plastic/Steel/Aluminium/Rubber
Ratchet Color: Zinc Plated or Color coated
Webbing—Color: Red/Blue/Yellow/Orange
Length: 4M-8M

Hook Option

TH011

TH011-A

THS004

THS007





Ratchet Tie Down



TP011



SIZE: 1"
 BS: 800KG/1760LBS
 Ratchet Color: Zinc Plated or Color coated
 Webbing—Color: Blue/Yellow/Orange//Red
 Length: 4M-8M

Hook Option

TH011 TH011-A THS004 THS007



Ratchet Tie Down



TP013



SIZE: 1"
 BS: 600KG/1320LBS
 Cambuckle Color: Zinc Plated or Color coated
 Webbing—Color: Blue/Yellow/Orange//Red/Black
 Length: 4M-8M

Hook Option

TH011-A THS011 THS015



TP011-1



SIZE: 1"
 BS: 450-800KG/1000-1760 LBS
 Ratchet Color: Zinc Plated or Color coated
 Webbing—Color: Blue/Yellow/Orange//Red
 Length: 4M-8M

Hook Option

TH011 TH011-A THS004 THS007



TP014



SIZE: 1"
 BS: 150-250KG/330-550LBS
 Cambuckle Color: Zinc Plated or Color coated
 Webbing—Color: Blue/Yellow/Orange//Red/Black
 Length: 4M-8M

Hook Option

TH011-A THS008 THS011 THS015



TP012



SIZE: 1"
 BS: 500KG/1100LBS
 Cambuckle Color: Zinc Plated or Color coated
 Webbing—Color: Blue/Yellow/Orange//Red/Black
 Length: 2.5M-8M

TP015



SIZE: 1"
 BS: 1000KG/2200LBS
 Ratchet Color: Zinc Plated/Color Coated
 Webbing—Color: Blue/Yellow/Orange/Red/Black
 Length: 2.5-8M



Ratchet Tie Down



TP016



SIZE: 1"
BS: 520KG/1144LBS
Cambuckle: TC015
Webbing: PP
Webbing Length: 2.5-8M



Ratchet Tie Down



TP019




SIZE: 1.5"
BS: 2000KG/4400LBS
Ratchet Color: Zinc Plated/Color Coated
Webbing: PES
Webbing Length: 2.9M+0.4M

TP017



SIZE: 1"
BS: 540KG/1188LBS
Ratchet Color: Zinc Plated/Color Coated
Webbing: PP
Webbing Length: 4-8M

TP020



Wheel Tie Down
SIZE: 2"
BS: 3000KG/6600 LBS
Handle: Aluminium
Ratchet Color: Zinc Plated or Color Coated
Webbing—Color: Blue/Yellow/Red/Orange
Length: 2.5M

Hook Option

TH007

TH021



TP018



SIZE: 1"
BS: 270KG/594LBS
Ratchet Color: Zinc Plated/Color Coated
Webbing: PP
Webbing Length: 4-8M

TP021



10' Ratchet tie down+36" Axle straps
SIZE: 2"
BS: 4500KG/10000LBS
Fastener Type: Snap hook
Webbing: PES
 4 Ratchet with Snap Hook
 4 Axle Straps



Ratchet Tie Down



TP022



Wheel Tie down
SIZE: 2"
BS: 4500KG/10000LBS
Webbing: PES
Webbing Length: 10FT
 4 Lasso Straps
 4 Ratchet with Flat Hook
 1 Carry Bag



Ratchet Tie Down



TP025



Winch Strap
SIZE: 2"/4" (50MM/100MM)
BS: 10000-18000LBS
Webbing —Color: Yellow
Length: 27'/30'

Hook Option

TW001

TW002

TW003



TP023



Tow Dolly Straps
SIZE: 2"
BS: 4500KG/10000LBS
Webbing: PES
 Suitable for tires from 14 " to 17 "
Vehicle Service Type: Passenger Car, Truck, Trailer

TP026



Chain Anchor Straps
SIZE: 4"
BS: 16200LBS
Webbing Color: Yellow
Webbing Length: 27'-30'
Hook: Chain Anchor 3/8"

TP024



Wheel Chock Tie down Kits
SIZE: 2"
Webbing: PES
Webbing Length: 9FT
Vehicle Service Type: ATV, Scooter, UTV, Trailer
 2 Pack E-Trac Straps
 24 Pack 2-3/8" Hex Bolts+Hex Nuts+Flat Washers
 4 Pack E-Trac Chocks





Ratchet Tie Down



TW001



Tow Strap Kit
SIZE: 3"
BS: 13600KG/30000LBS
Webbing : PES
WebbingLength: 30'
Vehicle Service Type: Truck SUV UTV ATV
 2 D-Ring Shackles
 1 Carry Bag

TW002



Tow Strap Assortment
Violet Tow Strap : 50mmx5Tx20M
Orange Tow Strap : 65mmx8Tx9M
Yellow Tow Strap : 80mmx12Tx3M
Vehicle Service Type : SUV, Truck
 3 Pk Snatch Straps
 2 D-Shackles+Snatch Block
 Folding Survival Shovel
 Tire Deflator
 Leather Gloves
 Winch Dampener
 Gear Bag

TW003



Towing Rope
BS: 5000KG/11000LBS
Dia : 18MM
Length: 4M



Ratchet Tie Down



TW004




Extensible Towing Rope
BS: 2800KG/6160LBS
Length: 1.5-4M

TW005



Steel Towing Rope
BS: 5000KG/11000LBS
Dia : 8MM
Length: 3.5M



TB001



DES
2PC 1" [25mm]*15'[4.5m]
Cambuckle Straps

PACKING
BS: 500KG/1100LBS
Size: 51*36.5*33cm
N.W./G.W.: 13/14KG
QTY./CTN: 100pcs

TB002



DES
2PC 1" [25mm]*15'[4.5m]
Ratchet Tie Down

PACKING
BS: 680KG/1500LBS
Size: 57*31*26cm
N.W./G.W.: 17KG/18KG
QTY./CTN: 20 pcs

TB003



DES
1" [25mm]*15'[4.5m]
Ratchet Tie Down

PACKING
BS:680KG/1500LBS
Size: 52*28*22cm
N.W./G.W.: 15KG/16KG
QTY./CTN: 20 pcs

TB004



DES
1" [25mm]*15'[4.5m]
Ratchet Tie Down

PACKING
BS: 680KG/1500LBS
Size: 51*31*19cm
N.W./G.W.: 15KG/16KG
QTY./CTN: 20 pcs

TB005



DES
4PC 1" [25mm]*15'[4.5m]
Ratchet Tie Down

PACKING
BS: 680 KG/1500LBS
Size: 55*36*26 cm
N.W./G.W.: 11/12 KG
QTY./CTN: 10 pcs

TB006



DES
12 PC
Tie Down & Bungee Kit
2 pc 1"*8'. 2 pc 1"*16'
8 pc Bungee Kit

PACKING
Size: 57*36*27 cm
N.W./G.W.: 18/19 KG
QTY./CTN: 10 pcs

TB007



DES
1pc 1" [25mm] * 15' [4.5m]
Retractable Tie Down

PACKING
BS: 680KG/1500LBS
Size: 40x22x33cm
N.W./G.W.: 6.5KG/7KG
QTY./CTN: 12 pcs

TB008



DES
1pc 1" [25mm]*15'[4.5m]
Cambuckle Straps

PACKING
BS: 600KG/1320LBS
Size: 32*32*24cm
N.W./G.W.: 10.5KG/11KG
QTY./CTN: 20 pcs

TB008-1



DES
1pc 1 1/16" [29mm]*17' [5m]
Ratchet Tie Down

PACKING
BS: 1500KG/3300LBS
Size: 40*22*33cm
N.W./G.W.: 9.5KG/10KG
QTY./CTN: 12 pcs

DB008-2



DES
1pc 1 1/2" [35mm]*17' [5m]
Ratchet Tie Down

PACKING
BS: 2000KG/4400LBS
Size: 40*22*33mm
N.W./G.W.: 13.5KG/14KG
QTY./CTN: 12 pcs

TB008-3



DES
1pc 1" [25mm] * 12' [3.6m]
Auto Ratchet Tie Down

PACKING
BS:680KG/1500 LBS
Size: 29x23x25cm
N.W./G.W.: 7.3KG/7.8KG
QTY./CTN: 8 pcs

TB008-4



DES
2pc 1" [25mm]*8' [2.4m]
Cambuckle Straps

PACKING
BS: 680KG/1500LBS
Size: 51*24*21 cm
N.W./G.W.: 11/12 KG
QTY./CTN: 20 pcs

TB009



DES
2pc 1" [25mm]*10'[3m]
Cambuckle Straps

PACKING
BS:600KG/1320 LBS
Size: 42*25*28 cm
N.W./G.W.: 14/15 KG
QTY./CTN: 12 pcs

TB010



DES
2pc 1" [25mm]*10'[3m]
Ratchet Tie Down

PACKING
BS:680KG/1500 LBS
Size: 42*25*28 cm
N.W./G.W.: 15/16 KG
QTY./CTN: 12 pcs

TB011



DES
2pc 1" [25mm] * 10' [3m]
Ratchet Tie Down

PACKING
BS: 680KG/1500LBS
Size: 32x34x24cm
N.W./G.W.: 13KG/14KG
QTY./CTN: 12 pcs

TB012



DES
2pc 1" [25mm]*15'[4.5m]
Ratchet Tie Down

PACKING
BS: 680KG/1500 LBS
Size: 37*25*32 cm
N.W./G.W.: 15/16 KG
QTY./CTN: 12 pcs

TB013



DES
2pc 1 1/16" [29mm]*16'[4.8m]
Ratchet Tie Down

PACKING
BS:1500KG/3300 LBS
Size: 37*25*32 cm
N.W./G.W.: 16/17 KG
QTY./CTN: 12 pcs

TB014



DES
2pc 1 1/16" [29mm]*10'[3m]
Ratchet Tie Down

PACKING
BS:1500KG/3300 LBS
Size: 42*25*28 cm
N.W./G.W.: 16/17 KG
QTY./CTN: 12 pcs

TB015



DES
1pc 1 1/2" [35mm]*15'[4.5m]
Ratchet Tie Down

PACKING
BS: 2000KG/4400LBS
Size: 44*26*28 cm
N.W./G.W.: 17/18 KG
QTY./CTN: 12 pcs

TB016



DES
4pc 1" [25mm] *10' [3m]
Ratchet Tie Down

PACKING
BS: 680KG/1500LBS
BS: 32X32X24cm
N.W./G.W.: 12/13KG
QTY./CTN: 6 pcs

TB017



DES
4pc 1" [25mm]*15'[4.5m]
Ratchet Tie Down

PACKING
BS:680 KG/1500LBS
Size: 42*25*28 cm
N.W./G.W.: 16/17 KG
QTY./CTN: 6 pcs

TB018



DES
4pc 1" [25mm]*15'[4.5m]
Ratchet/Cambuckle Tie Down

PACKING
BS:680 KG/1500LBS
Size: 42*25*28 cm
N.W./G.W.: 16/17 KG
QTY./CTN: 6 pcs

TB019



DES
4pc 1" [25mm]*10'[3m]
Ratchet Tie Down

PACKING
BS:680 KG/1500LBS
Size: 42*25*28 cm
N.W./G.W.: 16/17 KG
QTY./CTN: 6 pcs

TB020



DES
4pc 1" [25mm]*15'[4.5m]
Ratchet Tie Down

PACKING
BS: 680 KG/1500LBS
Size: 42*25*28 cm
N.W./G.W.: 16/17 KG
QTY./CTN: 6 pcs

TB021



DES
4pc 1" [25mm]*10'[3m]
Cambuckle Straps

PACKING
BS: 600KG/1320LBS
Size: 42*25*28 cm
N.W./G.W.: 13/14 KG
QTY./CTN: 6 pcs

TB022



DES
4pc 1" [25mm]*15'[4.5m]
Ratchet Tie Down

PACKING
BS:680 KG/1500LBS
Size: 42*25*28 cm
N.W./G.W.: 16/17 KG
QTY./CTN: 6 pcs

TB023



DES
4pc 1" [25mm]*15'[4.5m]
Ratchet/Cambuckle Tie Down

PACKING
BS:680 KG/1500LBS
Size: 42*25*28 cm
N.W./G.W.: 16/17 KG
QTY./CTN: 6 pcs

TB024



DES
1pc 2" [50mm]*27'[8m]
Ratchet Tie Down

PACKING
BS:4500 KG/10000LBS
Size: 52*36*26 cm
N.W./G.W.: 17/18 KG
QTY./CTN: 6 pcs

TB025



DES
1pc 2" [50mm]*27'[8m]
Ratchet Tie Down

PACKING
BS:5000 KG/11000LBS
Size: 52*36*26 cm
N.W./G.W.: 17/18 KG
QTY./CTN: 6 pcs

TB026



DES
4pc 1" [25mm]*15' [4.5M]
Ratchet Tie Down

PACKING
BS: 680KG/1500LBS
Material:Polyester Webbing

TB027



DES
2pc 1.5" [35mm] 13' [4M]
Ratchet Tie Down

PACKING
BS: 2000KG/4400LBS
Material:Polyester Webbing

TB028



DES
4pc 1" [25mm] 13' [4M]
Cambuckle Strap

PACKING
BS: 500KG/1100LBS
Material:Polyester Webbing



Ratchet Tie Down (Package)



TB029



DES
4pc 1.6"*17"
Soft Loop Strap

PACKING
BS:4500KG/10000LBS
Material:Polyester Webbing

TB030



DES
2pc 1" [25mm] 10' [3M]
Padded Cambuckle strap

PACKING
BS: 500KG/1100LBS
Material:Polyester Webbing

TB031



DES
2pc 1" [25mm] 10' [3M]
Padded Cambuckle strap

PACKING
BS: 600KG/1320LBS
Material:Polyester Webbing

TB032



DES
1pc 1" [25mm] * 12' [3.6m]
Retractable tie down

PACKING
BS: 680KG/1500LBS
Material:Polyester Webbing

TB033



DES
2pc 1" [25mm] * 15' [4.5m]
Retractable tie down

PACKING
BS: 680KG/1500LBS
Material:Polyester Webbing

TB034



DES
2pc 1" [25mm] 10' [3M]
Cambuckle Strap

PACKING
BS: 600KG/1320LBS
Material:Polyester Webbing

TB035



DES
2pc 1" [25mm] 13' [4M]
Ratchet Tie Down

PACKING
BS: 680KG/1500LBS
Material:Polyester Webbing

TB036



DES
2pc 1" [25mm] 13' [4M]
Ratchet Tie Down

PACKING
BS: 680KG/1500LBS
Material:Polyester Webbing

TB037



DES
2pc 1" [25mm] 16' [4.8M]
Ratchet Tie Down

PACKING
BS: 1360KG/3000LBS
Material:Polyester Webbing

TB038



DES
1pc 1.5" [35mm] 13' [4M]
Ratchet Tie Down

PACKING
BS: 2000KG/4400LBS
Material:Polyester Webbing

TB039



DES
4pc 1" [25mm] 15' [4.5M]
Ratchet Tie Down

PACKING
BS: 680KG/1500LBS
Material:Polyester Webbing

TB040



DES
4pc 1" [25mm] 15' [4.5M]
Ratchet Tie Down

PACKING
BS: 680KG/1500LBS
Material:Polyester Webbing

TB041



DES
4pc 1" [25mm] 10' [3M]
Cambuckle Strap

PACKING
BS: 600KG/1320LBS
Material:Polyester Webbing

TB042



DES
1pc 2" [50mm] 27' [8M]
Ratchet Tie Down

PACKING
BS: 4000KG/8800LBS
Material:Polyester Webbing

TB043



DES
1pc 2" [50mm] 27' [8M]
Ratchet Tie Down

PACKING
BS: 5000KG/11000LBS
Material:Polyester Webbing



SL001



Size:2"
Length:10-30M
Color:Red
Package:White/Color Box
Material:Polyester
Other Option: Tree Protector
 Ratchet Protector
 Black Bag
 Training Line

SL002



Size:2"
Length:10-30M
Color:Red
Package:White/Color Box
Material:Polyester
Other Option: Tree Protector
 Ratchet Protector
 Black Bag

SL003




Ninja Line
Size:2"
Length:10-30M
Color:As Customer Required
Package:Color Box
Material:Polyester
Other Option: Tree Protector
 Ratchet Protector
 Carrying Bag
 Monkey Bars
 Gym Rings
 Monkey Fist

SL004



Ninja Line
Size:2"
Length:10-30M
Color:As Customer Required
Package:Color Box
Material:Polyester
Other Option: Tree Protector
 Ratchet Protector
 Carrying Bag
 Monkey Bars
 Gym Rings
 Monkey Fist
 Wooden Ladder





Overcenter Buckle

TOV001



Stainless Steel 304/430 Overcenter Buckle
Size: 2"
BS: 800KG/1760LBS
Material: PP/PE
Webbing—Color: Black/Black with Blue Line
Length: 70CM/90CM

Stainless Steel 304/430 Overcenter Buckle

Hook Option

TH058 TH059 TH060 TH059-1



Overcenter Buckle

TOV004



Stainless Steel 304/430 Overcenter Buckle
Size: 2" (45mm/48mm)
BS: 800KG/1760LBS
Material: PP/PE
Webbing—Color: Black/Black with Blue Line
Line Length: 70CM/90CM

Hook Option

TH058 TH059 TH060 TH059-1



TOV002



Stainless Steel 304/430 Overcenter Buckle
Size: 2"(45mm)
BS: 600KG/1320LBS
Material: PP/PE
Webbing—Color: Black/Black with Blue Line
Length: 70CM/90CM

Hook Option

TH058 TH059 TH060 TH059-1



TOV005



Stainless Steel 304/430 Overcenter Buckle
Size: 2" (45mm/48mm)
BS: 800KG/1760LBS
Material: PP/PE
Webbing—Color: Black/Black with Blue Line
Length: 70CM/90CM

Hook Option

TH058 TH059 TH060 TH059-1



TOV003



Stainless Steel 304/430 Overcenter Buckle
Size: 2" (45mm/48mm)
BS: 800KG/1760LBS
Material: PP/PE
Webbing—Color: Black/Black with Blue Line
Length: 70CM/90CM

Hook Option

TH058 TH059 TH060 TH059-1



TOV006



White Zinc Coated Overcenter Buckle
Size: 2"
BS: 750KG/1650LBS
Material: PP
Webbing—Color: Black
Length: 70/100 CM



Overcenter Buckle

TOV007



White Zinc Coated Overcenter Buckle
Size: 2"
BS: 750KG/1650LBS
Material: PP
Webbing—**Color:** Black
Length: 4M

TOV008



White Zinc Coatd Overcenter Buckle
Size: 2"
BS: 750KG/1650LBS
Material: PP
Webbing—**Color:** Black
Length: 4M

TOV009



Size: 2"
BS: 750KG/1650LBS
Material: PP
Webbing—**Color:** Black
Length: 0.8M-1M

Hook Option



Overcenter Buckle

OVB001-A



A=65
 B=182
 C=2MM
 D=2MM

Size: 2"
BS: 800KG/1760LBS
Material: 304SS/430SS/201SS

OVB001-B



A=65
 B=175
 C=2MM
 D=2MM

Size: 2"
BS: 800KG/1760LBS
Material: White Zinc

OVB001-C



A=65
 B=175
 C=2MM
 D=2MM

Size: 2"
BS: 800KG/1760LBS
Material: Black Coating

OVB002-A



A=58
 B=155
 C=1.5/2MM
 D=1.5/2MM

Size: 2"
BS: 600KG/1320LBS
Material: 304SS/430SS/201SS

OVB002-B



A=58
 B=175
 C=2MM
 D=2MM

Size: 2"
BS: 600KG/1320LBS
Material: 304SS/430SS/201SS

OVB003



A=53
 B=170
 C=2MM
 D=2MM

Size: 2"
BS: 1200KG/2640LBS
Material: 304SS/430SS/201SS

OVB004-A



A=57
 B=140
 C=2MM
 D=2MM

Size: 2"
BS: 1200KG/2640LBS
Material: 304SS/430SS/201SS

OVB004-B



A=63
 B=160
 C=2MM
 D=2MM

Size: 2"
BS: 1200KG/2640LBS
Material: 304SS/430SS/201SS


OVB004-C



A=57
 B=140
 C=2MM
 D=2MM

Size: 2"
BS: 1200KG/2640LBS
Material: 304SS/430SS/201SS

OVB005-A



A=58
B=148
C=2MM
D=2MM

Size: 2"
BS: 1200KG/2640LBS
Material: 304SS/430SS/201SS

OVB005-B



A=58
B=148
C=2MM
D=2MM

Size: 2"
BS: 1200KG/2640LBS
Material: 304SS/430SS/201SS

OVB005-C



A=53
B=148
C=2MM
D=2MM

Size: 2"
BS: 1200KG/2640LBS
Material: 304SS/430SS/201SS

OVB005-D



A=58
B=161
C=2MM
D=2MM

Size: 2"
BS: 1200KG/2640LBS
Material: 304SS/430SS/201SS

OVB006-A



A=54
B=145
C=2MM
D=2MM

Size: 2"
BS: 1200KG/2640LBS
Material: 304SS/430SS/201SS

OVB006-B



A=65
B=160.5
C=3
D=2.5

Size: 2"
BS: 1500KG/3300LBS
Material: 304SS/430SS/201SS

OVBP007



A=46
B=165
C=3MM
D=2.8MM

Name: S Hook With Half Plastic Coating
BS: 2000KG/4400LBS
Material: Yellow Zine

OVBP008



A=54
B=230
C=2.5MM
D=2.5MM


Size: 2"
BS: 2000KG/4400LBS
Material: Yellow Zine

OVBP009



A=61
B=140
C=2.3MM
D=2.3MM

Size: 2"
BS: 1800KG/4000LBS
Material: Yellow Zine




OVBP001



A=56
L=72
H=30

OVBP002



A=51
L=66
H=15/20/27

OVBP003



A=56
L=72
H=25/30/43

OVBP004



A=51
L=66
H=20
M1=22

OVBP005



A=51
L=66
H=20
M1=17

OVBP006



L=190/144
D=12/12

OVBP007



A=20
L=35
H=12.5

OVBP008




A=20
L=30
H=36

OVBP009



A=51
L=40-100
H=20
M1=17



RO001



D=15
L=54.5
M=30

RO002



D=15
L=54.5
M=30

RO003



D=24
L=80
M=40

RO004



D=24
L=80
M=40

RO005



D=15
L=49
M=30

RO006



D=24
L=86
M=46

RO007



D=30
L=68
M=66

RO008



D=30
L=68
M=66

RO009



D=28.3
L=56
M=65

RO010



D=35
L=121
M=30

RO011



D=34
L=121
M=30

RO012



D=43.5
L=80.5
M=30

RO013



D=30.5
L=118
M=30

RO014



D=31.4
L=93
M=30

RO015




D=43.5
L=80.5
M=30

RO016




D=35
L=126.5
M=40

RO017




D=31.5
L=56
M=44.5

RO018



D=31.5
L=52
M=75

RO019



D=37
L=59
M=66

RO020



D=28
L=42
M=76

RO021




D=28
L=50.5
M=64.4


RO022



D=31
L=52.8
M=102




TC001




SIZE: 2"
BS: 1300KG/2860 LBS
N/W: 257G

TC002




SIZE: 2"
BS: 1100KG/2200 LBS
N/W: 245G

TC003




SIZE: 1 1/2"
BS: 700KG/1540LBS
N/W: 150G

TC004-A




SIZE: 1 1/2"
BS: 600KG/1320LBS
N/W: 120G

TC005




SIZE: 1 1/2"
BS: 850KG/1870LBS
N/W: 131G

TC006




SIZE: 1"
BS: 680KG/1500 LBS
N/W: 140G

TC007




SIZE: 1 1/2"
BS: 680KG/1500 LBS
N/W: 145G

TC008




SIZE: 1"
BS: 600KG/1320 LBS
N/W: 115G

TC009




SIZE: 1"
BS: 600KG/1320 LBS
N/W: 115G

TC010




SIZE: 1"
BS: 350KG/770 LBS
N/W: 56G

TC011-A




SIZE: 1"
BS: 500KG/1100 LBS
N/W: 63G

TC012




SIZE: 1"
BS: 350KG/770 LBS
N/W: 40G

TC013




SIZE: 1"
BS: 400KG/880 LBS
N/W: 46G

TC014




SIZE: 1"
BS: 700KG/1540LBS
N/W: 80G

TC015




SIZE: 1"
BS: 250KG/550 LBS
N/W: 30G

TC016




SIZE: 1"
BS: 350KG/770LBS
N/W: 40G

TC017




SIZE: 3/4 "
BS: 150KG/330 LBS
N/W: 20G

TC018



SIZE: 1/2 "
BS: 120KG/264LBS
N/W: 11G

TR001



A=103
B=80
C=320

SIZE: 4"
BS: 10,000KG/22,000LBS
Handle: Aluminium

TR002



A=78
B=80
C=245

SIZE: 3"
BS: 10,000KG/22,000LBS
Handle: Aluminium


TR003-A



A=53
B=62
C=300

SIZE: 2"
BS: 5,000KG/11,000LBS
Handle: Plastic


TR008-A



A=52
B=57
C=230

SIZE: 2"
BS: 5,000KG/11,000LBS
Handle: Plastic

TR008-B



A=52
B=57
C=230


SIZE: 2"
BS: 5,000KG/11,000LBS
Handle: Plastic

TR009




A=52
B=57
C=230

SIZE: 2"
BS: 5,000KG/11,000LBS
Handle: Aluminium



TR003-B



A=53
B=62
C=300

SIZE: 2"
BS: 5,000KG/11,000LBS
Handle: Plastic

TR003-C



A=53
B=62
C=300

SIZE: 2"
BS: 5,000KG/11,000LBS
Handle: Plastic

TR010



A=52
B=57
C=170

SIZE: 2"
BS: 5,000KG/11,000LBS
Handle: Plastic

TR011



A=52
B=57
C=170

SIZE: 2"
BS: 5,000KG/11,000LBS
Handle: Aluminium

TR011-A



A=52
B=57
C=170

SIZE: 2"
BS: 5,000KG/11,000LBS
Handle: Plastic

TR003-D



A=53
B=62
C=400

SIZE: 2"
BS: 5000KG/11000LBS
Handle: Plastic

TR003-E



A=52
B=62
C=250

SIZE: 2"
BS: 5000KG/11000LBS
Handle: Aluminium


TR004



A=52
B=57
C=205

SIZE: 2"
BS: 6000KG/13200LBS
Handle: Aluminium

TR012-A



A=52
B=57
C=205

SIZE: 2"
BS: 5,000KG/11,000LBS
Handle: Aluminium

TR012-B



A=52
B=57
C=205

SIZE: 2"
BS: 5,000KG/11,000LBS
Handle: Aluminium


TR013



A=52
B=57
C=205

SIZE: 2"
BS: 5,000KG/11,000LBS
Handle: Plastic

TR005



A=52
B=57
C=230

SIZE: 2"
BS: 5,000KG/11,000LBS
Handle: Aluminium

TR006



A=52
B=57
C=230

SIZE: 2"
BS: 5,000KG/11,000LBS
Handle: Plastic

TR007



A=52
B=57
C=235

SIZE: 2"
BS: 5,000KG/11,000LBS
Handle: Rubber

TR013



A=52
B=57
C=205

SIZE: 2"
BS: 5,000KG/11,000LBS
Handle: Plastic

TR014-A



A=52
B=40
C=130

SIZE: 2"
BS: 2,000KG/4,400LBS
Handle: Steel

TR014-B



A=52
B=40
C=130

SIZE: 2"
BS: 2,000KG/4,400LBS
Handle: Rubber

TR014-C



A=52
B=42
C=131

SIZE: 2"
BS: 2,000KG/4,400LBS
Handle: Rubber

TR014-D



A=52
B=40
C=130

SIZE: 2"
BS: 2,000KG/4,400LBS
Handle: Steel


TR015-A



A=40
B=49
C=155

SIZE: 1 1/2"
BS: 3,000KG/6,600LBS
Handle: Plastic


TR015-B



A=38
B=49
C=150

SIZE: 1 1/2"
BS: 3,000KG/6,600LBS
Handle: Aluminium


TR016



A=40
B=49
C=155

SIZE: 1 1/2"
BS: 3,000KG/6,600LBS
Handle: Plastic


TR016-A



A=40
B=49
C=155

SIZE: 1 1/2"
BS: 3,000KG/6,600LBS
Handle: Plastic

TR017



A=38
B=49
C=165

SIZE: 1 1/2"
BS: 3,000KG/6,600LBS
Handle: Steel

TR018



A=38
B=40
C=155

SIZE: 1 1/2"
BS: 2,000KG/4,400LBS
Handle: Rubber

TR019



A=41
B=42
C=133

SIZE: 1 1/2"
BS: 2,000KG/4,400LBS
Handle: Steel

TR019-A



A=41
B=42
C=133

SIZE: 1 1/2"
BS: 2,000KG/4,400LBS
Handle: Rubber

TR019-B



A=41
B=42
C=133

SIZE: 1 1/2"
BS: 2,000KG/4,400LBS
Handle: Steel

TR020



A=34
B=42
C=133

SIZE: 1 1/4"
BS: 2,000KG/4,400LBS
Handle: Rubber

TR020-A



A=34
B=42
C=133

SIZE: 1 1/4"
BS: 2,000KG/4,400LBS
Handle: Rubber

TR021



A=34
B=45
C=155

SIZE: 1 1/4"
BS: 1,500KG/3,300LBS
Handle: Rubber

TR021-A



A=34
B=45
C=155

SIZE: 1 1/4"
BS: 1,500KG/3,300LBS
Handle: Rubber


TR022



A=28
B=40
C=126

SIZE: 1 1/16"
BS: 1,500KG/3,300LBS
Handle: Rubber

TR023-A



A=28
B=40
C=133

SIZE: 1" Heavy Duty
BS: 1,500KG/3,300LBS
Handle: Steel


TR023-B



A=28
B=40
C=133

SIZE: 1" Heavy Duty
BS: 1,500KG/3,300LBS
Handle: Steel


TR023-C



A=28
B=40
C=120

SIZE: 1" Heavy Duty
BS: 1,500KG/3,300LBS
Handle: Steel

TR024



A=28
B=40
C=131

SIZE: 1" Heavy Duty
BS: 1,500KG/3,300LBS
Handle: Steel

TR025



A=28
B=40
C=126

SIZE: 1" Heavy Duty
BS: 1,500KG/3,300LBS
Handle: Rubber


TR025-A



A=28
B=40
C=126

SIZE: 1" Heavy Duty
BS: 1,500KG/3,300LBS
Handle: Rubber

TR025-B



A=28
B=40
C=150

SIZE: 1" Heavy Duty
BS: 1,500KG/3,300LBS
Handle: Rubber

TR026



A=26
B=40
C=113

SIZE: 1"
BS: 800KG/1,760LBS
Handle: Rubber

TR027



A=26
B=40
C=117

SIZE: 1"
BS: 800KG/1,760LBS
Handle: Rubber

TR028



A=26
B=40
C=115

SIZE: 1"
BS: 800KG/1,760LBS
Handle: Rubber

TR028-A



A=26
B=40
C=115

SIZE: 1"
BS: 800KG/1,760LBS
Handle: Rubber

TR028-B



A=26
B=40
C=117

SIZE: 1"
BS: 800KG/1,760LBS
Handle: Rubber

TR028-C



A=26
B=40
C=115

SIZE: 1"
BS: 800KG/1,760LBS
Handle: Rubber

TR028-D



A=26
B=40
C=117

SIZE: 1"
BS: 800KG/1,760LBS
Handle: Rubber

TR029



A=26
B=40
C=115

SIZE: 1"
BS: 800KG/1,760LBS

TR030



A=26
B=40
C=115

SIZE: 1"
BS: 800KG/1,760LBS

TR031



A=26
B=40
C=115

SIZE: 1"
BS: 800KG/1,760LBS

TR032



A=52
B=57
C=145

SIZE: 2"
BS: 5000KG/11000LBS

TR033



A=42
B=55
C=130

SIZE: 2"
BS: 3000KG/6600LBS



TRS001



A=54
B=60
C=230

SIZE: 2"
BS: 3,000KG/6,600LBS
Material: Stainless Steel

TRS002



A=52
B=43
C=128

SIZE: 2"
BS: 3,000KG/6,600LBS
Material: Stainless Steel

TRS003-A



A=41
B=60
C=166

SIZE: 1.5"
BS: 2,500KG/5,500LBS
Material: Stainless Steel

TRS003-B



A=52
B=57
C=205

SIZE: 2"
BS: 2,500KG/5,500LBS
Material: Stainless Steel

TRS004



A=40
B=41
C=127

SIZE: 1.5"
BS: 2,000KG/4,400LBS
Material: Stainless Steel

TRS005



A=28
B=41
C=126

SIZE: 1 1/6"
BS: 1,500KG/3,300LBS
Material: Stainless Steel

TRS006



A=28
B=40
C=133

SIZE: 1 1/6"
BS: 1,500KG/3,300LBS
Material: Stainless Steel

TRS007



A=26
B=40
C=115


SIZE: 1"
BS: 800KG/1,700LBS
Material: Stainless Steel

TRS008




A=78
B=80
C=245


SIZE: 3"
BS: 10,000KG/22,000LBS
Material: Stainless Steel




ITEM NO.	Size	BS	Width	Hight	Dia
TH001	3"	10000KG/22000LBS	75mm	130mm	16.5mm
TH001-A	4"	10000KG/22000LBS	100mm	135mm	16.5mm
TH002-A	2"	5000KG/11000LBS	50mm	85mm	11.4mm
TH003	2"	5000KG/11000LBS	50mm	106mm	11.4mm
TH006	2"	4000KG/8800LBS	50mm	85mm	10.5mm
TH007	2"	3000KG/6600LBS	50mm	85mm	9.3mm
TH008	2"	2000KG/4400LBS	50mm	85mm	8.15mm
TH009	1.5"	3000KG/6600LBS	35mm	65mm	9.25mm
TH0010	1.5"	3000KG/6600LBS	35mm	86mm	9.35mm
TH0011	1"	800KG/1760LBS	25mm	47mm	6.3mm
TH0012	1"	1500KG/3300LBS	25mm	58mm	7.15mm
TH0012-A	1"	1500KG/3300LBS	25mm	72mm	7.15mm




ITEM NO.	Size	BS	Width	Hight	Dia
TH004	2"	5000KG/11000LBS	50mm	96mm	12.2mm
TH004-A	2"	5000KG/11000LBS	50mm	105mm	12.2mm
TH004-B	2"	5000KG/11000LBS	50mm	115mm	12.2mm
TH005	1.5"	3000KG/6600LBS	35mm	86mm	9.45mm




ITEM NO.	Size	BS	Width	Hight	Dia
TH009-A	1.5"	3000KG/6600LBS	35mm	65mm	10.6mm
TH009-B	1.5"	3000KG/6600LBS	35mm	65mm	9.25mm
TH011-A	1"	800KG/1760LBS	25mm	47mm	7.6mm
TH011-B	1"	800KG/1760LBS	25mm	47mm	6.3mm




ITEM NO.	Size	BS	Width	Hight	Dia
TH013	3"	10000KG/22000LBS	75mm	104mm	11.9mm
TH014	2"	5000KG/11000LBS	50mm	87mm	8.45mm
TH015	1.5"	3000KG/6600LBS	35mm	85mm	7.2mm
TH015-A	1"	1500KG/3300LBS	25mm	55mm	5.5mm




ITEM NO.	Size	BS	Width	Hight	Dia
TH018-A	2"	5000KG/11000LBS	50mm	128mm	15.5mm
TH018-B	2"	5000KG/11000LBS	50mm	148mm	15.5mm
TH019-A	2"	3000KG/6600LBS	50mm	128mm	12.2mm
TH019-B	2"	3000KG/6600LBS	50mm	148mm	12.2mm
TH020-A	1.5"	3000KG/6600LBS	35mm	90mm	11.9mm
TH020-B	1.5"	3000KG/6600LBS	35mm	115mm	11.9mm




ITEM NO.	Size	BS	Width	Hight	Dia
TH021	2"	5000KG/11000LBS	50mm	100mm	15.1mm
TH022	2"	5000KG/11000LBS	40mm	100mm	15.1mm
TH023	1.5"	3000KG/6600LBS	35mm	110mm	13.1mm
TH024	1.5"	3000KG/6600LBS	29mm	110mm	13.1mm



ITEM NO.	Size	BS	Width	Hight	Dia
TH025	3"	10000KG/22000LBS	75mm	94mm	15.5mm
TH026	2"	5000KG/11000LBS	50mm	58mm	11.4mm
TH027	2"	3000KG/6600LBS	50mm	58mm	10.5mm
TH028	1.5"	3000KG/6600LBS	35mm	58mm	9.3mm




ITEM NO.	Size	BS	Width	Hight	Dia
TH029	4"	8000KG/17600LBS	67mm	100mm	5mm
TH030	4"	8000KG/17600LBS	67mm	100mm	5mm
TH031	3"	8000KG/17600LBS	67mm	97mm	5mm
TH032	2"	5000KG/11000LBS	50mm	91mm	4.5mm
TH033	2"	5000KG/11000LBS	50mm	91mm	4.5mm
TH034	2"	3000KG/6600LBS	50mm	76mm	4.5mm
TH035	2"	5000KG/11000LBS	50mm	155mm	6mm
TH036	2"	5000KG/11000LBS	50mm	155mm	6mm
TH037	1 3/4"	2500KG/5500LBS	45mm	110mm	4.5mm
TH038	1"	1500KG/3300LBS	25mm	96mm	4mm
TH034-A	2"	2000KG/4400LBS	50mm	66mm	4mm




ITEM NO.	Size	BS	Width	Hight	Dia
TH040	2"	5000KG/11000LBS	50mm	93mm	4mm
TH041	2"	3000KG/6600LBS	50mm	93mm	4mm
TH042	1.5"	1200KG/2640LBS	35mm	81mm	4mm
TH043	2"	5000KG/11000LBS	50mm	100mm	11.2mm
TH044	1.5"	3000KG/6600LBS	35mm	105mm	8.9mm
TH045	1"	1500KG/3300LBS	25mm	85mm	7.85mm



ITEM NO.	BS	Width	Hight	Dia
THS002	1500KG/3300LBS	25mm	90mm	10.8mm
THS005	1200KG/2640LBS	25mm	88mm	10.5mm
THS007	1200KG/2640LBS	25mm	110mm	10.5mm
THS015	600KG/1320LBS	25mm	80mm	8.1mm




ITEM NO.	BS	Width	Hight	Dia
THS003	1500KG/3300LBS	25mm	110mm	10.8mm
THS003-1S	1500KG/3300LBS	25mm	110mm	10.8mm
THS004	1500KG/3300LBS	25mm	118mm	10.8mm
THS004-1S	1500KG/3300LBS	25mm	118mm	10.8mm
THS006	1200KG/2640LBS	25mm	118mm	10.2mm
THS006-1S	1200KG/2640LBS	25mm	118mm	10.2mm
THS009	900KG/1980LBS	25mm	85mm	9mm
THS009-1S	900KG/1980LBS	25mm	85mm	9mm
THS011	800KG/1760LBS	25mm	108mm	8.7mm
THS011-1S	800KG/1760LBS	25mm	108mm	8.7mm
THS014	700KG/1540LBS	25mm	108mm	8.2mm
THS014-1S	700KG/1540LBS	25mm	108mm	8.2mm




ITEM NO.	BS	Width	Hight	Dia
THS008	1000KG/2200LBS	25mm	105mm	8.45mm
THS010	850KG/1870LBS	25mm	105mm	8.2mm
THS012	800KG/1760LBS	25mm	105mm	8.2mm
THS013	800KG/1760LBS	25mm	105mm	8.2mm

TH046




SIZE: 2"
BS: 5,000KG/11,000LBS

TH047




SIZE: 2"
BS: 5,000KG/11,000LBS

TH048




SIZE: 2"
BS: 5,000KG/11,000LBS

TH049




SIZE: 2"
BS: 3,000KG/6,600LBS

TH050




SIZE: 2"
BS: 3,000KG/6,600LBS

TH051




SIZE: 2"
BS: 5,000KG/11,000LBS

TH052




SIZE: 2"
BS: 1,500KG/3,300LBS

TH053




SIZE: 2"
BS: 750KG/1,650 LBS

TH054



SIZE: 1 1/16 "
BS: 1,500KG/3,300LBS

TH055



SIZE: 1.5"
BS: 3000KG/6600LBS

TH056




SIZE: 2"
BS: 1,500KG/3,300LBS

TH057




SIZE: 1 1/2"
BS: 1,500KG/3,300LBS

TH058



SIZE: 2"
BS: 800KG/1,760 LBS

TH059




SIZE: 2"
BS: 800KG/1,760 LBS

TH060




SIZE: 2"
BS: 1,500KG/3,300 LBS

TH061




BS: 2,300KG/5,060LBS

TH062




BS: 2,727KG/6000 LBS

TH063



BS: 2,300KG/5,060 LBS

TH064




SIZE: 2"
BS: 800KG/1,760 LBS

TH065




SIZE: 1"
BS: 2,500KG/5,500LBS

TH067




BS: 300KG/660 LBS

TH068




SIZE: 2"
BS: 3,000KG/6,600 LBS

TH069



SIZE: 1 1/2"
BS: 2,000KG/4,400 LBS

TH070



SIZE: 1"
BS: 600KG/1,320 LBS



ITEM NO.	Size	WLL(G43)	WLL(G70)
FH001	1/2"	9200LB	12266LB
FH002	3/8"	5400LB	7200LB
FH003	5/16"	3900LB	5200LB
FH004	1/4"	2600LB	3466LB



ITEM NO.	Size	WLL(G43)	WLL(G70)
FH005	1/2"	9200LB	12266LB
FH006	3/8"	5400LB	7200LB
FH007	5/16"	3900LB	5200LB
FH008	1/4"	2600LB	3466LB



ITEM NO.	Size	WLL(G43)	WLL(G70)
FH009	1/2"	9200LB	12266LB
FH010	3/8"	5400LB	7200LB
FH011	5/16"	3900LB	5200LB
FH012	1/4"	2600LB	3466LB



ITEM NO.	Size	WLL(G43)	WLL(G70)
FH013	1/2"	9200LB	12266LB
FH014	3/8"	5400LB	7200LB
FH015	5/16"	3900LB	5200LB
FH016	1/4"	2600LB	3466LB



ITEM NO.	Size	WLL(G43)	WLL(G70)
FH017	1/2"	9200LB	12266LB
FH018	3/8"	5400LB	7200LB
FH019	5/16"	3900LB	5200LB
FH020	1/4"	2600LB	3466LB

THS019



Size: 145×100
BS: 4200KG/4,840 LBS

THS020



Size: 124×114
BS: 2272KG/5,000 LBS

THS021



Size: 128×90
BS: 682KG/1,500 LBS

THS022



Size: 106×106
BS: 545KG/1,200 LBS

TH023



Size: 159×159
BS: 2727KG/6,000 LBS

TH024



Size: 124×114
BS: 4200KG/4,840 LBS

TH025



Size: 84×64
BS: 1363KG/3,000 LBS

TH026



Size: 91×91
BS: 545KG/1,200 LBS

TH027



Dia: 5-12mm
Length: 50-140mm
W.L.L: 100-600LBS

THS028



Dia: 3.5-14mm
Length: 36.5-125mm
W.L.L: 175-2800LBS

THS029




SIZE: 2"
BS: 600KG/1,320LBS



ET001




Horizontal E Track
Material: Black Powder Coated



ET002




Horizontal E Track
Material: Galvanized



ET002




Horizontal E Track
Material: Stainless Steel



ET003




Vertical E Track
Material: Galvanized



ET004




Cross E Track
Material: Black Powder Coated



ET005




Cross E Track
Material: Black Powder Coated




ET006




Q Track
Material: Galvanized



ET007



L Track
Material: Aluminum



ETH001




E TRACK J HOOK FITTING
Material: Galvanized

ETH002



E-TRACK TOOL HOOK
Material: Galvanized

ETH003




E-TRACK TOOL HOOK
Material: Galvanized

ETH004




E TRACK J HOOK FITTING
Material: Black Powder Coated

ETH005



E TRACK Spare Tire Holder
Material: Galvanized

ETH006



E TRACK J HOOK FITTING
Material: Galvanized

ETH007



E TRACK ROLLER IDLER FITTING ASSEMBLY - 6,000 LBS
Material: Galvanized

ETH008



WOOD END SOCKET FOR E-TRACK
Material: Galvanized

ETH009



E TRACK TIE DOWN W/ O-RING
Material: Galvanized



Corner Protector

CP001



Plastic Corner Protector
Weight: 355g

CP002



6"x4" Steel Corner Protector
with Rubber Bawking
Weight: 800g

CP003



Plastic Corner Protector
Weight: 51.5g

CP004



Plastic Corner Protector
Weight: 55g

CP005



Plastic Corner Protector
Weight: 89g

CP006



Plastic Corner Protector
Weight: 424g

CP007



Plastic Corner Protector
Weight: 424g
Size: 12"x8"x8"

CP008



Plastic Corner Protector
Weight: 371g
Size: 12"x8"x8"

CP009



Plastic Corner Protector
Weight: 174g
Size: 6"x4"x4"



Corner Protector

CP010



Plastic Corner Protector
Weight: 145g
Size: 6"x4"x4"

CP011



Plastic Corner Protector
Weight: 151g
Size: 12"x4"

CP012



Plastic Tarp Protector
Weight: 63g

CP013



Plastic Corner Protector
Weight: 940g
Size: 24"x8"x8"

CP014



Plastic Corner Protector
Weight: 1369g
Size: 36"x8"x8"

CP015




Plastic Corner Protector
Weight: 1799g
Size: 48"x8"x8"

CP016



Heavy Duty Metal Coil
Protector w/ Flexible Rubber



BC001



BC002



BC003



BC004



ITEM NO.	Product	Length	Dia
BC001	Standard Bungee Cord 2PK	13"/18"/24"/30"	8MM
BC002	Industrial Bungee Cord 2PK	13"/18"/24"/32"/36"/48"	10MM
BC003	Jumbo Bungee Cord 2PK	24"/36"/48"/72"	12MM
BC004	Bungee Cord Assortment	(2) 18"+(2) 24"+(2)30"	8MM

BC005



BC006



BC007



BC008



ITEM NO.	Product	Length	Dia
BC005	Standard Bungee Cord 1PK	13"/18"/24"/30"	8MM
BC006	Standard Bungee Cord 1PK	13"/18"/24"/30"	8MM
BC007	Bungee Cord With Carabiner Hooks	18"/24"/36"	9MM
BC008	Flat Bungee Cord	18"/24"/30"/36"/42"	17MM

BC009



BC010



BC011



BC012




ITEM NO.	Product	Length	Dia
BC009	Adjustable Bungee Cord	7"-16"	8MM
BC010	Bungee Cord With Heavy Duty Hook	13"/18"/24"/30"	8MM
BC011	Bungee Cord With Carabiner Hooks	18"/24"/36"	9MM
BC012	Flat Bungee Cord	18"/24"/30"/36"/42"	17MM

BC013



BC014



BC015



BC016



ITEM NO.	Product	Length	Dia
BC013	Bungee Cord (8-Arm)	(4) 24"	8MM
BC014	Bungee Cord Assortment	(2)12"+(2) 18"+(2) 24"	8MM
BC015	Bungee Balls	(10)6"	4MM
BC016	Mini Bungee Cords	(20)10"	4MM

BC017



BC018



BC019



BC020



ITEM NO.	Product	Length	Dia
BC017	Bungee Cord Assortment	(2) 12"+(3) 24"+(2) 36"+(3) 10" mini+(2) 12" Canopy	8MM / 4MM
BC018	Bungee Cord Assortment	(4)12"+(5)18"+(4)24"+(4)36"+(4)48"	8MM
BC019	Flat Bungee Cords	(2)18"+(2)24"+(2)30"	17MM
BC020	Bungee Cord Assortment	(6) 18"+(4) 24"+(2) 32"+(2)40"+(6) mini+(4)Canopy+(4)Tarp Clips	8MM / 4MM

BC021



ITEM NO.	Product	Length
BC021	Industrial Epdm Rubber Tarr Straps	(4)10"+(2)15"+(2)21"+(2)31"

SINGLE PLY ENDLESS TYPE WEBBING SLING												
Item	Colour coded According to EN 1492-1	Working load limit with 1 webbing sling						Working load limit with 2 webbing sling				
		Straight Lift	Chocked Lift	β				Straight Lift Up To 45°	Choked Lift Up To 45°	Straight Lift Up To 45°	Choked Lift 45° -60°	
				0° -7°	7° -45°	45° -60	Up to 45°					45° -60
		1	0.8	2.0	1.4	1	0.7	0.5	1.4	1.12	1.0	0.8
TWSES-201	WLL 1T	1000	800	2000	1400	1000	700	500	1400	1120	1000	800
TWSES-202	WLL 2T	2000	1600	4000	2800	2000	1400	1000	2800	2240	2000	1600
TWSES-203	WLL 3T	3000	2400	6000	3200	3000	2100	1500	3200	3360	3000	2400
TWSES-204	WLL 4T	4000	3200	8000	5600	4000	2800	2000	5600	4480	4000	3200
TWSES-205	WLL 5T	5000	4000	10000	7000	5000	3500	2500	7000	5600	5000	4000
TWSES-206	WLL 6T	6000	4800	12000	8400	6000	4200	3000	8400	6720	6000	4800
TWSES-208	WLL 8T	8000	6400	16000	11200	8000	5600	3500	11200	8960	8000	6400

FEATURE:

- 1. Tape:** Single ply polyester webbing sling with reinforced lifting eyes.
- 2. Technical:** Colourcoded according to EN 1492-1
- 3. Characteristics:** Low elongation
- 4. Standard:** According to machinery directive 98/37/EC
Safety factor 7:1

DOUBLE PLY ENDLESS TYPE WEBBING SLING												
Item	Colour coded According to EN 1492-1	Working load limit with 1 webbing sling						Working load limit with 2 webbing sling				
		Straight Lift	Chocked Lift	β				Straight Lift Up To 45°	Choked Lift Up To 45°	Straight Lift Up To 45°	Choked Lift 45° -60°	
				0° -7°	7° -45°	45° -60	Up to 45°					45° -60
		1	0.8	2.0	1.4	1	0.7	0.5	1.4	1.12	1.0	0.8
TWSED-202	WLL 2T	2000	1600	4000	2800	2000	1400	1000	2800	2240	2000	1600
TWSED-203	WLL 3T	3000	2400	6000	3200	3000	2100	1500	3200	3360	3000	2400
TWSED-204	WLL 4T	4000	3200	8000	5600	4000	2800	2000	5600	4480	4000	3200
TWSED-206	WLL 6T	6000	4800	12000	8400	6000	4200	3000	8400	6720	6000	4800
TWSED-208	WLL 8T	8000	6400	16000	11200	8000	5600	3500	11200	8960	8000	6400

FEATURE:

- 1. Tape:** Single ply polyester webbing sling with reinforced lifting eyes.
- 2. Technical:** Colourcoded according to EN 1492-1
- 3. Characteristics:** Low elongation
- 4. Standard:** According to machinery directive 98/37/EC
Safety factor 7:1

DOUBLE PLY WEBBING SLINGS												
Item	Colour coded According to EN 1492-1	Working load limit with 1 webbing sling						Working load limit with 2 webbing sling				
		Straight Lift	Chocked Lift	β				Straight Lift Up To 45°	Choked Lift Up To 45°	Straight Lift Up To 45°	Choked Lift Up To 45°	
				0° -7°	7° -45°	45° -60	Up to 45°					45° -60
		1	0.8	2.0	1.4	1	0.7	0.5	1.4	1.12	1.0	0.8
TWSDP-201	WLL 1T	1000	800	2000	1400	1000	700	500	1400	1120	1000	800
TWSDP-202	WLL 2T	2000	1600	4000	2800	2000	1400	1000	2800	2240	2000	1600
TWSDP-203	WLL 3T	3000	2400	6000	3200	3000	2100	1500	3200	3360	3000	2400
TWSDP-204	WLL 4T	4000	3200	8000	5600	4000	2800	2000	5600	4480	4000	3200
TWSDP-205	WLL 5T	5000	4000	10000	7000	5000	3500	2500	7000	5600	5000	4000
TWSDP-206	WLL 6T	6000	4800	12000	8400	6000	4200	3000	8400	6720	6000	4800
TWSDP-208	WLL 8T	8000	6400	16000	11200	8000	5600	3500	11200	8960	8000	6400
TWSDP-210	WLL 10T	10000	8000	20000	14000	10000	7000	5000	14000	11200	10000	8000
TWSDP-212	WLL 12T	12000	9600	24000	16800	12000	8400	6000	16800	13440	12000	9600

POLYESTER ROUND SLING												
Item	Colour coded According to EN 1492-1	Working load limit with 1 webbing sling						Working load limit with 2 webbing sling				
		Straight Lift	Chocked Lift	β				Straight Lift Up To 45°	Choked Lift Up To 45°	Straight Lift Up To 45°	Choked Lift 45° -60°	
				0° -7°	7° -45°	45° -60	Up to 45°					45° -60
		1	0.8	2.0	1.4	1	0.7	0.5	1.4	1.12	1.0	0.8
TWSEL-01	WLL 1T	1000	800	2000	1400	1000	700	500	1400	1120	1000	800
TWSEL-02	WLL 2T	2000	1600	4000	2800	2000	1400	1000	2800	2240	2000	1600
TWSEL-03	WLL 3T	3000	2400	6000	3200	3000	2100	1500	3200	3360	3000	2400
TWSEL-04	WLL 4T	4000	3200	8000	5600	4000	2800	2000	5600	4480	4000	3200
TWSEL-05	WLL 5T	5000	4000	10000	7000	5000	3500	2500	7000	5600	5000	4000
TWSEL-06	WLL 6T	6000	4800	12000	8400	6000	4200	3000	8400	6720	6000	4800
TWSEL-08	WLL 8T	8000	6400	16000	11200	8000	5600	3500	11200	8960	8000	6400
TWSEL-08	WLL 10T	10000	8000	20000	14000	10000	7000	5000	14000	11200	10000	8000
TWSEL-08	WLL 12T	12000	9600	24000	16800	12000	8400	6000	16800	13440	12000	9600

FEATURE:

- 1. Tape:** Polyester webbing sling with reinforced lifting eyes.
- 2. Technical:** Colourcoded according to EN 1492-1
- 3. Characteristics:** Low elongation
- 4. Standard:** According to machinery directive 98/37/EC Safety factor 7:1